EVOLUTION

INTERNATIONAL JOURNAL OF ORGANIC EVOLUTION

Volume VIII, 1954

ZOOLOGY - BOTANY
LIBRARY
COLUMBIA UNIVERSITY

Published Quarterly

At Prince and Lemon Streets, Lancaster, Pa.

By the

Society for the Study of Evolution

TABLE OF CONTENTS

Number 1, March

Geographic Speciation in Tropical Echinoids. Ernst Mayr 1
Trends in Geographic Variation in Palaearctic Members of the Genus *Parus*. D. W. Snow 19
Physiological Properties of Gene Arrangement Carriers in *Drosophila persimilis* III. Cytoplasmic Influence on Fecundity of Arrangement Heterozygotes. Eliot B. Spiess 29
Evolution of Feeding Preferences in Phytophagus Insects. V. G. Dethier 32
Statistics and the Evolution of Dicotyledons. K. R. Sporne 55
Isolation in *Musa*, Sections Enmusa and Rhodochlamys. N. W. Simmonds 65
Population Dynamics and Evolution. Björn Kurtén 75
Notes and Comments
Revision of the Florissant Flora. Daniel I. Axelrod 82
How Many Species? André Cailleux 83
Experimental Biology and Evolution. Everett C. Olson 84
The Major Features of Evolution. Everett C. Olson 87

Number 2, June

Environmental Selection by *Drosophila* Mutants. C. H Waddington 89
The Coral Snake Mimic Problem. Emmett Reid Dunn 97
Reticulate Evolution in Appalachian Aspleniums. Warren H. Wagner jr. 103
A Further Study of Chromosomal Polymorphism in *Drosophila willistoni* in Its Relation to Environment. A. Brito da Cunha and Theodosius Dobzhansky 119
Comparable Mutant Eye Colors in *Mormoniella* and *Pachycrepoideus* (Hymenoptera: Pteromalidae). P. W. Whiting 135
Interfertile Sibling Species in the *willistoni* Group of *Drosophila*. Hampton L. Carson 148
Evidence of Tooth Structure on the Relationships of the Early Groups of Carnivora. Loris S. Russell 166
Experimental Studies of the Distribution of Gene Frequencies in Very Small Populations of *Drosophila melanogaster*, I. Forked. Warwick E. Kerr and Sewall Wright 172
Notes and Comments
Fundamentals of Ecology. Richard S. Miller 178
Gene Dispersal and Ethology of the Rhinocerotidae. G. E. Hutchinson and S. Dillon Ripley 178

Number 3, September

Phylogenetic Aspects of Respiratory Function. F. H. McCutcheon 181
Further Serological Data on the Relationships of Some Decapod Crustacea. Charles A. Leone 192

FEB 12 1955

A Partial Breakdown of Temporal and Ecological Isolation between Choristoneura Species (Lepidoptera, Torticidae). STANLEY G. SMITH 206
Experimental Studies on the Distribution of Gene Frequencies in Very Small Populations of *Drosophila melanogaster*. SEWALL WRIGHT and WARWICK E. KERR 225
Integration of the Genotype in Local Populations of Three Species of *Drosophila*. M. VETUKHIV 241
Hybridization in the Red-Eyed Towhees of Mexico. CHARLES G. SIBLEY ... 252
Notes and Comments
Population Size and Effectiveness of Selection. EVERETT R. DEMPSTER and MICHAEL LERNER 291
Comment on Note by Dempster and Lerner on Population Size and Effectiveness of Selection. BJÖRN KURTÉN 292

FEB 12 1955

NUMBER 4, DECEMBER

Experimental Studies of the Distribution of Gene Frequencies in Very Small Populations of *Drosophila melanogaster* III. Aristapedia and Spineless. WARWICK E. KERR and SEWALL WRIGHT 293
The Genetic Population Structure of Brazilian *Drosophila willistoni*. C. PAVAN and E. N. KNAPP 303
Natural Hybridization in the *Peromyscus leucopus* Species Group of Mice. W. H. MCCARLEY 314
Prehominid Dentition and Hominid Evolution. J. T. ROBINSON 324
Interaction of Adaptive Values in Polymorphic Experimental Populations of *Drosophila pseudoobscura*. HOWARD LEVENE, OLGA PAVLOVSKY, and THEODOSIUS DOBZHANSKY 335
An Extreme Form of Chiasma Localization in a Species of *Bryodema* (Orthoptera, Acrididae). M. J. D. WHITE 350
Evolution and Chromosomes in Intergeneric Pheasant Hybrids. GUNNAR C. SANDNES 359
Categories of Adaptation. GARTH UNDERWOOD 365
Hybridization as an Evolutionary Mechanism. E. ANDERSON and G. L. STEBBINS 378
The Foramen Ovale. TILLY EDINGER and DAVID B. KITTS 389
Notes and Comments
Animal Forms and Patterns. DEAN AMADON 405
Editor's Notes
S. S. E. Meetings at Gainesville, Florida 406
Index, Volume VIII v

INDEX TO VOLUME VIII, 1954

Acrididae, 350–357
adaptataion, categories, 365–377; climatic, 10; modes of, 372–377
adaptive values (interaction), 335–349
Aerochoreutes, 356
age, and survivorship, 76
alleism, rate of (*Drosophila willistoni*), 305
Amadon, Dean, 405
Anderson, E., 378–388
animal forms and patterns, 405
antigens, 193, 194
antisera, 195
Arbacia, 10
Arctocyonidae, 166, 167, 171
Asplenium, 103–118; *bradleyi*, 108; *ebenoides*, 106; *gravesii*, 113; *kentuckinese*, 113; *pinnatifidum*, 110; *trudellii*, 111
Aspleniums, 103–118
assimilation, genetic, 370–372
Axelrod, D. I., 82
Astropyga, 3–4
Australian man, 325
Australopithecus, 325–329 (fig.); 330–331 (fig.); 332–333
Barrier, Rio Santo Domingo, 279
Brissus, 6
cailleux, Andre, 83
Bryodema, 350–357
callosities, of feet, 366–367
canalizing selection, 370–372
Canidae, 167
Carnivora, 166–171
Carson, H. L., 148–165
Cerro, El Fraile, 270; Garcia, 268; Gordo, 263; Grande, 264; Tequila, 273; Viejo, 267
Choristoneura, pinus, fumiferana, 206–224
chromosomes, *Asplenium*, 115; *Gallus, Phasianus, Syrmaticus, Chrysolophus* (hybrids), 360 (fig.); pheasant hybrids, 359–364
chromosomal, morphology (domestic fowl), 359–360; polymorphism, 119–133; variability, 153
Chrysolophus (chromosomes), 360 (fig.)
chiasma localization, 350–357
Circotettix, 356
climate, adaptations to, 25
Clypeaster, 11
coral snake, 97–102
correlation, in evolution, 51–64
Crustacea, phylogeny, 203
Cunha, da A. B., 119–133
cytology, 161; hybrid (*Musa*), 67
decapod Crustacea, 192–205; relationships, 201 (fig.)
Dempster, E. R., 291
Dethier, V. G., 33–51
Diadema, 8
dicotyledons, 55–64
Didymictis, 170
diffusion, 183
dispersal barriers, 13
Dissacus, 169
Dobzhansky, Th., 119–133; 335–349
domestication, evolution under, 379–380
drift, random, 172
Drosophila, bocainoides, 150; environmental selection, 89–96; gene arrangement carriers, 29; *melanogaster*, 89–96; 172–177, 225–240, 293–302; mutants, 89–96; *parabocainensis*, 149; *paulistorum*, 244; *persimilis*, 29; physiological properties, 29; *pseudoobscura*, 29, 335–349; *willistoni*, 119–133, 148–165, 244, 303–313
Dunn, E., 97–102
Echinometra, 7–8
Echinoids, 1–17
Echinoneus, 9
ecology, *Drosophila*, 160; fundamentals of (rev.), 178
ecological, categories, 375–376; requirements (prehominid man), 332; rules, 10
Edinger, Tilly, 389–404
editor's notes, 406
Encope, 10
environmental selection, 89
equilibrium (gene alleles), 341–343
ethology, 178
Eucidaris, 3
Eumusa, 65
experimental, biology (rev.), 84–87; populations (*Drosophila pseudoobscura*), 335–349; studies (small populations), 225–240
feeding preferences, evolution in insects, 33–51
Felidae, 167
Filicineae, 103
Florissant flora (rev.), 82
foodplant selection, 38
foramen ovale, 389–403; Artiodactyla, 391, 393, 396; camels, 392; Carnivora, 398; *Chilocotherium*, 396 (fig.); Condylarthra, 396–397; *Equus*, 390 (fig.); *Hyracotherium* (eohippus), 389; Insectivora, 399–400; Meniscotherium, 397 (fig.); non-ungulate mammals, 397; *Odocoileus*, 391 (fig.); Perissodactyla, 389, 393; Primates, 398; Rodentia, 398–399; *Tayassu*, 391 (fig.)
frequencies, lethal chromosomes and genes, 304
function, respiratory, 181–191
Gallus (chromosomes), 359, 360 (fig.)
geckos, 366
gene, dispersal, 178; flow diagrams, 345; pool (architecture), 347–348; frequencies, distributions, 225–240; rate of change, 232; small populations, 293–302
genes, aristapedia, 293; bar, 225–240; forked, 172–177; spineless, 293
genetic assimilation, 370–372; variability, 120
geographic distribution, *Drosophila*, 148–165; *variation*, 14–15, 19–28

habitats, evolution in disturbed, 380
hominid evolution, 324–334
homoiothermism, 188
homology, 143
Hovanitz, W., 92
Hutchinson, G. E., 178–179
Hyaenodontidae, 167, 169
hybrid, cytology, 67; fertility (*Musa*), 69, 157; viability (*Musa*), 67
hybridization, evolutionary structures, 378–388; experiments, 155–158; introgressive, 378–388; natural, 314; potential, 216; towhees, 252–290
hybrids, 247; pheasant, 359–364; towhees, 254
Hymenoptera, 135
insects, diets, 33–51
integration, genotype, 241–251
intergeneric hybrids (pheasant), 354–364
introgressive, gradients, 263; hybridization, 378–388
inversions, *Drosophila bicainensis, D. parabocainensis*, 152 (fig.); geographic distribution, 127
isolation, *Choristoneura*, reproductive, 220; sexual, 218; ecological, 206, 208; *Musa*, ecological, geographical, 66; phenological, 206; temporal, 206
Janzer, W., 94
Kerr, W. E., 172–177; 225–240; 293–302
Kitts, David, 389–404
Knapp, E. N., 303–313
Kurten, B., 75–81; 292
Lampropeltis, 100
Las Joyas, 272
Levene, Howard, 335–349
Lerner, M. I., 291
Leoni, Charles A., 192–205
Lepidoptera, 206–224
Ludwig, W., 94
Lymnea, shell form, 367–368
Lytechinus, 7
McCarley, W. H., 314–323
McCutcheon, F. H., 181–191
Major features of evolution (rev.), 87–89
Mayr, Ernst, 1–17
Mazamitla, 269
Mellita, 5
Meoma, 6
Mesonychidae, 167
metaphases, 350–351 (fig.)
Miacidae, 167–169
Micrurus, 99
mimicry, 97–102
Miller, R. S., 178
Moira, 5–6
monophagy, development in insects, 42
Mormoniella, 135–138
mortality, rates, 78
Musa, 65–74
mutant eye colors, 135; heredity of, 141
mutation rate (*Drosophila willistoni*), 304
neanderthal man, 326
niche, ecological, 375–376
oligophagy, development in insects, 42
Olson, E. C., 84–87
Orthoptera, 350–357
ostrich, callosities, 367
Oxyaena, 170
Oxyaenidae, 167, 169
Oxyclaenus, 168
Pachycrepoideus, 139–143
parallel evolution, 26
Paranthropus, 325–333, 329 (fig.)
Parus, 19–28
Pavan, C., 303–313
Pavlovsky, Olga, 335–349
Peromyscus gossypinus, 314–323; *leucopus*, 314–323; measurements, 316–317
Perry, M. M., 89–96
Phasianus (chromosomes), 360 (fig.)
Phasianidae (evolution), 362
phylogeny, respiratory function, 181–191
phytophagous insects, 33–51
pigmentation, human skin, 368–370
Pipilo, 252–290; *erythrophthalmus*, 262; *ocai*, 263
Pithecanthropus, 325, 333
Plagiobrissus, 9
Plesiaddax, 78
polymorphism, 119; and environment, 131; populations, 335–349
polyploidy, plant evolution, 116
polytypic species, 15
population, dynamics, 75; parameters, 303–304; size, 291; structure (*Drosophilia willistoni*), 303–313
populations, small, 291–293
prehominid dentition, 324–334
Pteromalidae, 135
Puerto Morelos, 277
random drift, 172
Syrmaticus (chromosomes), 360 (fig.)
rates, mortality, 78
reticulate evolution, 103–118
red-eyed towhees, 252–290
respiration, aquatic, 181; atmospheric, 182; flow pattern, 184; frequency pattern, 187
respiratory function, 181–191
Rhinocerotidae, 178
Rhodochlamys, 66
Ripley, S. D., 178
Rio Grande do Sul, 151
Robinson, J. T., 324–334
Russell, Loris S., 166–171
Sandnes, Gunnar, 359–364
serological, data (Crustacea), 192–205; relationships (Decapoda), 197, 199
selection, against heterozygotes carrying lethals, 310; and age, 77; canalizing, 370–372; coefficients, 225–293; effectiveness, 291; passive, 42; pressure, 172
sibling species, interfertile, 148–165
Sibley, C. G., 252–290
Sierra de Ameca, 274
Simmonds, N. W., 65–74
Simpson, G. G., 83, 87

Sinanthropus, 325, 326
small populations, 172–177; 225–232
Smith, Stanley G., 206–224
Snow, D. W., 19–28
Spiess, Eliot B., 29–32
species, how many? 83; sibling, 148–165; polytypic, 15; sympatric, 12; tropical echinoids, 1-17
speciation, marine animals, 1–2
Sporne, K. R., 55–64
statistics in evolution, 55–64
Stebbins, G. L. Jr., 56; 378–388
Stegodon, 76
Stethophyma, 350–357
survivorship, age, 76
synthetic lethals, 309
sympatric species, 12
Telanthropus, 325, 331, 332
Tetraclaenodon, 168
Tetziutlan, 277
tooth structures, 166–171
Tortricidae, 206–224
towhees, 252–290; correlation of weight and plumage, 282 (fig.); distribution, 258; hybrid populations, 262; Mexico, 255 (fig); habitats, 257 (fig.); hybrid males, 280, 281 (figs.); populations, 266, 271, 275 (figs.)
trigeminal nerves, pre-mammalian, 400–402
Trimerotropi, 350
Tripneustes, 4–5
Underwood, Garth, 365–377
Urmiatherium, 78
Waddington, C. H., 89–96, 365
Wagner, W. H. Jr., 103–118
variability, genetic, 120
vertebrate respiratory development, 185 (fig.)
Vetukhiv, M., 241–251
white man, 325
White, M. J. D., 350–357
Whiting, D. W., 135–147
Woolf, B., 89–96
Wright, Sewall, 172–177; 225–240; 293–302